1030-CPR-1

**Product Code:** 1030

Declaration of performance in accordance with EU Construction Product Regulation 305/2011

1. Unique identification code of the product-type:

Galvanized Corner Profile

2. Intended use/es:

Metal lath and beads for internal plastering

3. Manufacturer

SAD YAPI ve Profil San. Dış. Tic. Ltd. Şti. Organize San. Bölgesi DES San. Sitesi 112. Sok. No:39 Yukarı Dudullu, Ümraniye, İstanbul

4. System/s of AVCP

System 4

**5.**Harmonised standard

EN 13658-1 – Metal lath and beads, Internal plastering

6. Declared performance/s

Essential Characteristics	Performance	Harmonised technical specification
Losential Onalacteristics	i enomiance	Specification
Reaction to Fire	A1	
Dangerous Substances	NPD	FN 13658-1

**7.** The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by: Director of SAD YAPI





1030-A-CPR-2

Product Code: 1030-A

Declaration of performance in accordance with EU Construction Product Regulation 305/2011

1. Unique identification code of the product-type:

#### **Aluminum Corner Profile**

2. Intended use/es:

Metal lath and beads for internal plastering

3. Manufacturer

SAD YAPI ve Profil San. Dış. Tic. Ltd. Şti. Organize San. Bölgesi DES San. Sitesi 112. Sok. No:39 Yukarı Dudullu, Ümraniye, İstanbul

4. System/s of AVCP

System 4

**5.**Harmonised standard

EN 13658-1 – Metal lath and beads, Internal plastering

6. Declared performance/s

Essential Characteristics	Performance	Harmonised technical specification
Reaction to Fire	A1	
Dangerous Substances	NPD	EN 13658-1

**7.** The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by: Director of SAD YAPI





1035-CPR-3

Product Code: 1035

Declaration of performance in accordance with EU Construction Product Regulation 305/2011

#### Galvanized Corner Profile

Metal lath and beads for internal plastering /external endering

SAD YAPI ve Profil San. Dış. Tic. Ltd. Şti. Organize San. Bölgesi DES San. Sitesi 112. Sok. No:39 Yukarı Dudullu, Ümraniye, İstanbul

### System 4

**5.Harmonised standard** 

EN 13658-1- Metal lath and beads, Internal plasteringEN 13658-2 - Metal lath and beads, External rendering


6. Declared performance/s

Harmonised technical **Essential Characteristics Performance** specification Reaction to Fire Α1 **NPD** Dangerous Substances EN 13658-1 EN 13658-2

7. The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by: Director of SAD YAPI





1035-A-CPR-4

Product Code: 1035-A

Declaration of performance in accordance with EU Construction Product Regulation 305/2011

1. Unique identification code of the product-type:

#### **Aluminum Corner Profile**

2. Intended use/es:

Metal lath and beads for internal plastering

3. Manufacturer

SAD YAPI ve Profil San. Dış. Tic. Ltd. Şti. Organize San. Bölgesi DES San. Sitesi 112. Sok. No:39 Yukarı Dudullu, Ümraniye, İstanbul

4. System/s of AVCP

System 4

**5.Harmonised standard** 

EN 13658-1 – Metal lath and beads, Internal plastering

6. Declared performance/s

Essential Characteristics	Performance	specification
Reaction to Fire	A1	
Dangerous Substances	NPD	EN 13658-1

**7.** The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by: Director of SAD YAPI





1040-CPR-5

**Product Code:** 1040

Declaration of performance in accordance with EU Construction Product Regulation 305/2011

1. Unique identification code of the product-type:

Galvanized Corner Profile

2 Intended use/es:

Metal lath and beads for internal plastering

3. Manufacturer

SAD YAPI ve Profil San. Dış. Tic. Ltd. Şti. Organize San. Bölgesi DES San. Sitesi 112. Sok. No:39 Yukarı Dudullu, Ümraniye, İstanbul

4. System/s of AVCP

System 4

**5.**Harmonised standard

EN 13658-1 – Metal lath and beads, Internal plastering


6. Declared performance/s

Essential Characteristics	Performance	Harmonised technical specification
Reaction to Fire	A1	
Dangerous Substances	NPD	EN 13658-1

**7.** The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by: Director of SAD YAPI





1040-A-CPR-6

Product Code: 1040-A

Declaration of performance in accordance with EU Construction Product Regulation 305/2011

1. Unique identification code of the product-type:

#### **Aluminum Corner Profile**

2. Intended use/es:

Metal lath and beads for internal plastering

3. Manufacturer

SAD YAPI ve Profil San. Dış. Tic. Ltd. Şti. Organize San. Bölgesi DES San. Sitesi 112. Sok. No:39 Yukarı Dudullu, Ümraniye, İstanbul

4. System/s of AVCP

System 4

**5.Harmonised standard** 

EN 13658-1 – Metal lath and beads, Internal plastering


6. Declared performance/s

Essential Characteristics	Performance	Harmonised technical specification
Reaction to Fire	A1	
Dangerous Substances	NPD	EN 13658-1

**7.** The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by: Director of SAD YAPI





1050-CPR-7

**Product Code:** 1050

Declaration of performance in accordance with EU Construction Product Regulation 305/2011

1. Unique identification code of the product-type:

Galvanized Corner Profile

2. Intended use/es:

Metal lath and beads for internal plastering

3. Manufacturer

SAD YAPI ve Profil San. Dış. Tic. Ltd. Şti. Organize San. Bölgesi DES San. Sitesi 112. Sok. No:39 Yukarı Dudullu, Ümraniye, İstanbul

4. System/s of AVCP

System 4

**5.Harmonised standard** 

EN 13658-1 – Metal lath and beads, Internal plastering

6. Declared performance/s

Essential Characteristics Performance specification
Reaction to Fire A1
Dangerous Substances NPD EN 13658-1

**7.** The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by: Director of SAD YAPI





1050-A-CPR-8

Product Code: 1050-A

Declaration of performance in accordance with EU Construction Product Regulation 305/2011

1. Unique identification code of the product-type:

#### **Aluminum Corner Profile**

2. Intended use/es:

Metal lath and beads for internal plastering

3. Manufacturer

SAD YAPI ve Profil San. Dış. Tic. Ltd. Şti. Organize San. Bölgesi DES San. Sitesi 112. Sok. No:39 Yukarı Dudullu, Ümraniye, İstanbul

4. System/s of AVCF

System 4

**5.**Harmonised standard

EN 13658-1 – Metal lath and beads, Internal plastering

6. Declared performance/s

Essential Characteristics Performance specification
Reaction to Fire A1
Dangerous Substances NPD EN 13658-1

**7.** The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by: Director of SAD YAPI





Product Code: 6

Declaration of performance in accordance with EU Construction Product Regulation 305/2011

1. Unique identification code of the product-type:

Galvanized Depth Gauge Profile

2. Intended use/es:

Metal lath and beads for internal plastering

3. Manufacturer

SAD YAPI ve Profil San. Dış. Tic. Ltd. Şti. Organize San. Bölgesi DES San. Sitesi 112. Sok. No:39 Yukarı Dudullu, Ümraniye, İstanbul

4. System/s of AVCP

System 4

**5.**Harmonised standard

EN 13658-1 – Metal lath and beads, Internal plastering

6. Declared performance/s

Reaction to Fire A1
Dangerous Substances

Harmonised technical specification
A1
NPD

EN 13658-1

**7.** The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by: Director of SAD YAPI





6-A-CPR-10

Product Code: 6-A

Declaration of performance in accordance with EU Construction Product Regulation 305/2011

1. Unique identification code of the product-type:

Aluminum Depth Gauge Profile

2. Intended use/es:

Metal lath and beads for internal plastering

3. Manufacturer

SAD YAPI ve Profil San. Dış. Tic. Ltd. Şti. Organize San. Bölgesi DES San. Sitesi 112. Sok. No:39 Yukarı Dudullu, Ümraniye, İstanbul

4. System/s of AVCP

System 4

**5.**Harmonised standard

EN 13658-1 – Metal lath and beads, Internal plastering

6. Declared performance/s

Essential Characteristics	Performance	Harmonised technical specification
Reaction to Fire	A1	•
Dangerous Substances	NPD	FN 13658-1

**7.** The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by: Director of SAD YAPI





10-CPR-11

**Product Code: 10** 

Declaration of performance in accordance with EU Construction Product Regulation 305/2011

1. Unique identification code of the product-type:

Galvanized Depth Gauge Profile

2. Intended use/es:

Metal lath and beads for internal plastering

3. Manufacturer

SAD YAPI ve Profil San. Dış. Tic. Ltd. Şti. Organize San. Bölgesi DES San. Sitesi 112. Sok. No:39 Yukarı Dudullu, Ümraniye, İstanbul

4. System/s of AVCP

System 4

**5.Harmonised standard** 

EN 13658-1 – Metal lath and beads, Internal plastering

6. Declared performance/s

Harmonised technical
Essential Characteristics Performance specification
Reaction to Fire A1
Dangerous Substances NPD EN 13658-1

**7.** The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by: Director of SAD YAPI





10-A-CPR-12

Product Code: 10-A

Declaration of performance in accordance with EU Construction Product Regulation 305/2011

1. Unique identification code of the product-type:

Aluminum Depth Gauge Profile

2. Intended use/es:

Metal lath and beads for internal plastering

3. Manufacturer

SAD YAPI ve Profil San. Dış. Tic. Ltd. Şti. Organize San. Bölgesi DES San. Sitesi 112. Sok. No:39 Yukarı Dudullu, Ümraniye, İstanbul

4. System/s of AVCP

System 4

**5.Harmonised standard** 

EN 13658-1 – Metal lath and beads, Internal plastering

6. Declared performance/s

Essential Characteristics Performance specification
Reaction to Fire A1
Dangerous Substances NPD EN 13658-1

**7.** The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by: Director of SAD YAPI





1060-CPR-13

Product Code: 1060

Declaration of performance in accordance with EU Construction Product Regulation 305/2011

1.Unique identification code of the product-type:

PVC Corner Galvanized Rendering Profile

2. Intended use/es:

Metal lath and beads for external rendering

3. Manufacturer

SAD YAPI ve Profil San. Dış. Tic. Ltd. Şti. Organize San. Bölgesi DES San. Sitesi 112. Sok. No:39 Yukarı Dudullu, Ümraniye, İstanbul

4. System/s of AVCP

System 4

5. Harmonised standard

EN 13658-2 – Metal lath and beads, External rendering

6. Declared performance/s

Essential Characteristics	Performance	Harmonised technical specification
Reaction to Fire	В	
Dangerous Substances	NPD	EN 13658-2

**7.** The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by: Director of SAD YAPI





1077-CPR-14

**Product Code: 1077** 

Declaration of performance in accordance with EU Construction Product Regulation 305/2011

1.Unique identification code of the product-type:

PVC Corner, Galvanized Rendering Profile

2. Intended use/es:

Metal lath and beads for external rendering

3. Manufacturer

SAD YAPI ve Profil San. Dış. Tic. Ltd. Şti. Organize San. Bölgesi DES San. Sitesi 112. Sok. No:39 Yukarı Dudullu, Ümraniye, İstanbul

4. System/s of AVCP

System 4

5. Harmonised standard

EN 13658-2 – Metal lath and beads, External rendering

6. Declared performance/s

Essential Characteristics	Performance	specification
Reaction to Fire	В	
Dangerous Substances	NPD	EN 13658-2

**7.** The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by: Director of SAD YAPI





7010-CPR-15

**Product Code:** 7010

Declaration of performance in accordance with EU Construction Product Regulation 305/2011

1. Unique identification code of the product-type:

PVC Coated, Galvanized Movement and Expansion Profile

2. Intended use/es:

Metal lath and beads for external rendering

3. Manufacturer

SAD YAPI ve Profil San. Dış. Tic. Ltd. Şti. Organize San. Bölgesi DES San. Sitesi 112. Sok. No:39 Yukarı Dudullu, Ümraniye, İstanbul

4. System/s of AVCP

System 4

5. Harmonised standard

EN 13658-2 – Metal lath and beads, External rendering

6. Declared performance/s

Essential Characteristics	Performance	specification
Reaction to Fire	В	
Dangerous Substances	NPD	EN 13658-2

**7.** The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by: Director of SAD YAPI





1080-CPR-16

Product Code: 1080

Declaration of performance in accordance with EU Construction Product Regulation 305/2011

1. Unique identification code of the product-type:

PVC Corner, Galvanzed Rendering Profile

2. Intended use/es:

Metal lath and beads for external rendering

3. Manufacturer

SAD YAPI ve Profil San. Dış. Tic. Ltd. Şti. Organize San. Bölgesi DES San. Sitesi 112. Sok. No:39 Yukarı Dudullu, Ümraniye, İstanbul

4. System/s of AVCP

System 4

**5.Harmonised standard** 

EN 13658-2 – Metal lath and beads, External rendering

6. Declared performance/s

Essential Characteristics	Performance	Harmonised technical specification
Reaction to Fire	E	
Dangerous Substances	NPD	EN 13658-2

**7.** The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by: Director of SAD YAPI





1052-CPR-19

**Product Code:** 6010

Declaration of performance in accordance with EU Construction Product Regulation 305/2011

1.Unique identification code of the product-type:

Galvanized Corner Profile

2. Intended use/es:

Metal lath and beads for internal plastering

3. Manufacturer

SAD YAPI ve Profil San. Dış. Tic. Ltd. Şti. Organize San. Bölgesi DES San. Sitesi 112. Sok. No:39 Yukarı Dudullu, Ümraniye, İstanbul

4. System/s of AVCP

System 4

**5.Harmonised standard** 

EN 13658-1 – Metal lath and beads, Internal plastering

6. Declared performance/s

Essential Characteristics	Performance	Harmonised technical specification
Reaction to Fire	A1	
Dangerous Substances	NPD	EN 13658-1

**7.** The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by: Director of SAD YAPI





6010-A-CPR-18

Product Code: 6010-A

Declaration of performance in accordance with EU Construction Product Regulation 305/2011

1. Unique identification code of the product-type:

Aluminum Stop Profile

2. Intended use/es:

Metal lath and beads for internal plastering

3. Manufacturer

SAD YAPI ve Profil San. Dış. Tic. Ltd. Şti. Organize San. Bölgesi DES San. Sitesi 112. Sok. No:39 Yukarı Dudullu, Ümraniye, İstanbul

4. System/s of AVCP

System 4

**5.Harmonised standard** 

EN 13658-1 – Metal lath and beads, Internal plastering

6. Declared performance/s

Essential Characteristics	Performance	Harmonised technical specification
Reaction to Fire	A1	
Dangerous Substances	NPD	EN 13658-1

**7.** The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by: Director of SAD YAPI





1052-CPR-19

**Product Code:** 1052

Declaration of performance in accordance with EU Construction Product Regulation 305/2011

1. Unique identification code of the product-type:

Galvanized Corner Profile

2. Intended use/es:

Metal lath and beads for internal plastering

3. Manufacturer

SAD YAPI ve Profil San. Dış. Tic. Ltd. Şti. Organize San. Bölgesi DES San. Sitesi 112. Sok. No:39 Yukarı Dudullu, Ümraniye, İstanbul

4. System/s of AVCP

System 4

**5.**Harmonised standard

EN 13658-1 – Metal lath and beads, Internal plastering

6. Declared performance/s

Essential Characteristics Performance specification
Reaction to Fire A1
Dangerous Substances NPD EN 13658-1

**7.** The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by: Director of SAD YAPI





1052-A-CPR-20

Product Code: 1052-A

Declaration of performance in accordance with EU Construction Product Regulation 305/2011

1. Unique identification code of the product-type:

#### **Aluminum Corner Profile**

2. Intended use/es:

Metal lath and beads for internal plastering

3. Manufacturer

SAD YAPI ve Profil San. Dış. Tic. Ltd. Şti. Organize San. Bölgesi DES San. Sitesi 112. Sok. No:39 Yukarı Dudullu, Ümraniye, İstanbul

4. System/s of AVCP

System 4

**5.**Harmonised standard

EN 13658-1 – Metal lath and beads, Internal plastering

6. Declared performance/s

Essential Characteristics Performance specification
Reaction to Fire A1
Dangerous Substances NPD EN 13658-1

**7.** The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by: Director of SAD YAPI





1060-CPR-21

Product Code: 1060-A

Declaration of performance in accordance with EU Construction Product Regulation 305/2011

1. Unique identification code of the product-type:

#### **Aluminum Corner Profile**

2 Intended use/es:

Metal lath and beads for internal plastering /external endering

3. Manufacturer

SAD YAPI ve Profil San. Dış. Tic. Ltd. Şti. Organize San. Bölgesi DES San. Sitesi 112. Sok. No:39 Yukarı Dudullu, Ümraniye, İstanbul

4. System/s of AVCP

### System 4

**5.Harmonised standard** 

EN 13658-1 – Metal lath and beads, Internal plasteringEN 13658-2 – Metal lath and beads, External rendering

6. Declared performance/s

Essential Characteristics
Reaction to Fire
Dangerous Substances

Harmonised technical specification

A1


NPD

EN 13658-1 EN 13658-2

**7.** The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by: Director of SAD YAPI





1077-CPR-22

Product Code: 1077-A

Declaration of performance in accordance with EU Construction Product Regulation 305/2011

1. Unique identification code of the product-type:

#### **Aluminum Corner Profile**

2. Intended use/es:

Metal lath and beads for internal plastering /external endering

3. Manufacturer

SAD YAPI ve Profil San. Dış. Tic. Ltd. Şti. Organize San. Bölgesi DES San. Sitesi 112. Sok. No:39 Yukarı Dudullu, Ümraniye, İstanbul

4. System/s of AVCP

### System 4

**5.Harmonised standard** 

EN 13658-1 – Metal lath and beads, Internal plasteringEN 13658-2 – Metal lath and beads, External rendering

6. Declared performance/s

Essential Characteristics
Reaction to Fire
Dangerous Substances

Harmonised technical specification

A1

NPD

EN 13658-1 EN 13658-2

**7.** The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by: Director of SAD YAPI





1021-CPR-23

**Product Code: 1021** 

Harmonicad tachnical

Declaration of performance in accordance with EU Construction Product Regulation 305/2011

1.Unique identification code of the product-type:

Galvanized Corner Profile for Gypsum Plasterboards

#### 2. Intended use/es:

Gympsum Plasterboard profiles are thin profiles used in the connections such as corners, ends of plasterboard, partition walls and suspended ceilings systems. Profiles are also used for maintaining strength of system in gypsum plaster applications.

3. Manufacturer

SAD YAPI ve Profil San. Dış. Tic. Ltd. Şti. Organize San. Bölgesi DES San. Sitesi 112. Sok. No:39 Yukarı Dudullu, Ümraniye, İstanbul

4. System/s of AVCP

System 4

**5.Harmonised standard** 

EN 14353 – Metal beads and feature profiles for use with gypsum plasterboards

6. Declared performance/s

Essential Characteristics	Performance	specification
Reaction to Fire	A1	
Dangerous Substances	NPD	EN 14353
Load Bearing Capacity	Passed	EN 14353

**7.** The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by: Director of SAD YAPI





1023-CPR-24

**Product Code: 1023** 

Declaration of performance in accordance with EU Construction Product Regulation 305/2011

1. Unique identification code of the product-type:

Galvanized Corner Profile for Gypsum Plasterboards

#### 2. Intended use/es:

Gympsum Plasterboard profiles are thin profiles used in the connections such as corners, ends of plasterboard, partition walls and suspended ceilings systems. Profiles are also used for maintaining strength of system in gypsum plaster applications.

3. Manufacturer

SAD YAPI ve Profil San. Dış. Tic. Ltd. Şti. Organize San. Bölgesi DES San. Sitesi 112. Sok. No:39 Yukarı Dudullu, Ümraniye, İstanbul

4. System/s of AVCF

System 4

**5.Harmonised standard** 

EN 14353 – Metal beads and feature profiles for use with gypsum plasterboards

6. Declared performance/s


Harmonised technical
Essential Characteristics Performance specification
Reaction to Fire A1
Dangerous Substances NPD
Load Bearing Capacity Passed

Harmonised technical specification
NPD EN 14353

**7.** The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by: Director of SAD YAPI





1025-CPR-25

**Product Code: 1025** 

Declaration of performance in accordance with EU Construction Product Regulation 305/2011

1.Unique identification code of the product-type:

Galvanized Corner Profile for Gypsum Plasterboards

#### 2. Intended use/es:

Gympsum Plasterboard profiles are thin profiles used in the connections such as corners, ends of plasterboard, partition walls and suspended ceilings systems. Profiles are also used for maintaining strength of system in gypsum plaster applications.

3. Manufacturer

SAD YAPI ve Profil San. Dış. Tic. Ltd. Şti. Organize San. Bölgesi DES San. Sitesi 112. Sok. No:39 Yukarı Dudullu, Ümraniye, İstanbul

4. System/s of AVCP

System 4

**5.Harmonised standard** 

EN 14353 – Metal beads and feature profiles for use with gypsum plasterboards

6. Declared performance/s

Harmonised technical
Essential Characteristics Performance specification
Reaction to Fire A1
Dangerous Substances NPD
Load Bearing Capacity Passed

Harmonised technical specification
NPD EN 14353

**7.** The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by: Director of SAD YAPI





1021-A-CPR-26

Product Code: 1021-A

Harmonicad tachnical

Declaration of performance in accordance with EU Construction Product Regulation 305/2011

1. Unique identification code of the product-type:

Aluminum Corner Profile for Gypsum Plasterboards

#### 2. Intended use/es:

Gympsum Plasterboard profiles are thin profiles used in the connections such as corners, ends of plasterboard, partition walls and suspended ceilings systems. Profiles are also used for maintaining strength of system in gypsum plaster applications.

3. Manufacturer

SAD YAPI ve Profil San. Dış. Tic. Ltd. Şti. Organize San. Bölgesi DES San. Sitesi 112. Sok. No:39 Yukarı Dudullu, Ümraniye, İstanbul

4. System/s of AVCP

System 4

**5.Harmonised standard** 

EN 14353 – Metal beads and feature profiles for use with gypsum plasterboards


6. Declared performance/s

Essential Characteristics	Performance	specification
Reaction to Fire	A1	
Dangerous Substances	NPD	EN 14353
Load Bearing Capacity	Passed	EN 14353

**7.** The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by: Director of SAD YAPI





1023-A-CPR-27

Product Code: 1023-A

Declaration of performance in accordance with EU Construction Product Regulation 305/2011

1. Unique identification code of the product-type:

Aluminum Corner Profile for Gypsum Plasterboards

#### 2. Intended use/es:

Gympsum Plasterboard profiles are thin profiles used in the connections such as corners, ends of plasterboard, partition walls and suspended ceilings systems. Profiles are also used for maintaining strength of system in gypsum plaster applications.

3. Manufacturer

SAD YAPI ve Profil San. Dış. Tic. Ltd. Şti. Organize San. Bölgesi DES San. Sitesi 112. Sok. No:39 Yukarı Dudullu, Ümraniye, İstanbul

4. System/s of AVCP

System 4

**5.Harmonised standard** 

EN 14353 – Metal beads and feature profiles for use with gypsum plasterboards

6. Declared performance/s

Harmonised technical
Essential Characteristics Performance specification
Reaction to Fire A1
Dangerous Substances NPD
Load Bearing Capacity Passed

Harmonised technical specification
NPD EN 14353

**7.** The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by: Director of SAD YAPI





1025-A-CPR-28

Product Code: 1025-A

Harmonicad toobnical

Declaration of performance in accordance with EU Construction Product Regulation 305/2011

1. Unique identification code of the product-type:

### Aluminum Corner Profile for Gypsum Plasterboards

#### 2. Intended use/es:

Gympsum Plasterboard profiles are thin profiles used in the connections such as corners, ends of plasterboard, partition walls and suspended ceilings systems. Profiles are also used for maintaining strength of system in gypsum plaster applications.

3. Manufacturer

SAD YAPI ve Profil San. Dış. Tic. Ltd. Şti. Organize San. Bölgesi DES San. Sitesi 112. Sok. No:39 Yukarı Dudullu, Ümraniye, İstanbul

4. System/s of AVCP

System 4

**5.**Harmonised standard

EN 14353 – Metal beads and feature profiles for use with gypsum plasterboards

6. Declared performance/s

Essential Characteristics	Performance	specification
Reaction to Fire	A1	
Dangerous Substances	NPD	EN 14252
Load Bearing Capacity	Passed	EN 14353

**7.** The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by: Director of SAD YAPI





1031-CPR-29

**Product Code:** 1031

Declaration of performance in accordance with EU Construction Product Regulation 305/2011

1. Unique identification code of the product-type:

Galvanized Corner Profile for Gypsum Plasterboards

#### 2. Intended use/es:

Gympsum Plasterboard profiles are thin profiles used in the connections such as corners, ends of plasterboard, partition walls and suspended ceilings systems. Profiles are also used for maintaining strength of system in gypsum plaster applications.

3. Manufacturer

SAD YAPI ve Profil San. Dış. Tic. Ltd. Şti. Organize San. Bölgesi DES San. Sitesi 112. Sok. No:39 Yukarı Dudullu, Ümraniye, İstanbul

4. System/s of AVCP

System 4

**5.Harmonised standard** 

EN 14353 – Metal beads and feature profiles for use with gypsum plasterboards

6. Declared performance/s

Harmonised technical
Essential Characteristics Performance specification
Reaction to Fire A1
Dangerous Substances NPD
Load Bearing Capacity Passed

Harmonised technical specification
NPD EN 14353

**7.** The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by: Director of SAD YAPI





1031-A-CPR-30

Product Code: 1031-A

Declaration of performance in accordance with EU Construction Product Regulation 305/2011

1. Unique identification code of the product-type:

### Aluminum Corner Profile for Gypsum Plasterboards

#### 2. Intended use/es:

Gympsum Plasterboard profiles are thin profiles used in the connections such as corners, ends of plasterboard, partition walls and suspended ceilings systems. Profiles are also used for maintaining strength of system in gypsum plaster applications.

3. Manufacturer

SAD YAPI ve Profil San. Dış. Tic. Ltd. Şti. Organize San. Bölgesi DES San. Sitesi 112. Sok. No:39 Yukarı Dudullu, Ümraniye, İstanbul

4. System/s of AVCP

System 4

**5.**Harmonised standard

EN 14353 – Metal beads and feature profiles for use with gypsum plasterboards

6. Declared performance/s


Harmonised technical
Essential Characteristics Performance specification
Reaction to Fire A1
Dangerous Substances NPD
Load Bearing Capacity Passed

Harmonised technical specification
NPD EN 14353

**7.** The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by: Director of SAD YAPI





1135-CPR-31

**Product Code:** 1135

Declaration of performance in accordance with EU Construction Product Regulation 305/2011

1. Unique identification code of the product-type

Galvanized 35 Degree Profile for Gypsum Plasterboards

#### 2. Intended use/es:

Gympsum Plasterboard profiles are thin profiles used in the connections such as corners, ends of plasterboard, partition walls and suspended ceilings systems. Profiles are also used for maintaining strength of system in gypsum plaster applications.

3. Manufacturer

SAD YAPI ve Profil San. Dış. Tic. Ltd. Şti. Organize San. Bölgesi DES San. Sitesi 112. Sok. No:39 Yukarı Dudullu, Ümraniye, İstanbul

4. System/s of AVCP

System 4

**5.**Harmonised standard

EN 14353 – Metal beads and feature profiles for use with gypsum plasterboards

6. Declared performance/s


Harmonised technical
Essential Characteristics Performance specification
Reaction to Fire A1
Dangerous Substances NPD
Load Bearing Capacity Passed

Harmonised technical specification
NPD EN 14353

**7.** The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by: Director of SAD YAPI





1135-A-CPR-32

Product Code: 1135-A

Declaration of performance in accordance with EU Construction Product Regulation 305/2011

1. Unique identification code of the product-type

Aluminum 35 Degree Profile for Gypsum Plasterboards

#### 2. Intended use/es:

Gympsum Plasterboard profiles are thin profiles used in the connections such as corners, ends of plasterboard, partition walls and suspended ceilings systems. Profiles are also used for maintaining strength of system in gypsum plaster applications.

3. Manufacturer

SAD YAPI ve Profil San. Dış. Tic. Ltd. Şti. Organize San. Bölgesi DES San. Sitesi 112. Sok. No:39 Yukarı Dudullu, Ümraniye, İstanbul

4. System/s of AVCF

System 4

**5.**Harmonised standard

EN 14353 – Metal beads and feature profiles for use with gypsum plasterboards

6. Declared performance/s

Harmonised technical
Essential Characteristics Performance specification
Reaction to Fire A1
Dangerous Substances NPD
Load Bearing Capacity Passed

Harmonised technical specification
NPD EN 14353

**7.** The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by: Director of SAD YAPI





1125-CPR-33

**Product Code: 1125** 

Declaration of performance in accordance with EU Construction Product Regulation 305/2011

1. Unique identification code of the product-type:

Galvanized L Shape Profile for Gypsum Plasterboards

#### 2. Intended use/es:

Gympsum Plasterboard profiles are thin profiles used in the connections such as corners, ends of plasterboard, partition walls and suspended ceilings systems. Profiles are also used for maintaining strength of system in gypsum plaster applications.

3. Manufacturer

SAD YAPI ve Profil San. Dış. Tic. Ltd. Şti. Organize San. Bölgesi DES San. Sitesi 112. Sok. No:39 Yukarı Dudullu, Ümraniye, İstanbul

4. System/s of AVCF

System 4

**5.**Harmonised standard

EN 14353 – Metal beads and feature profiles for use with gypsum plasterboards

6. Declared performance/s

Harmonised technical
Essential Characteristics Performance specification
Reaction to Fire A1
Dangerous Substances NPD
Load Bearing Capacity Passed

Harmonised technical specification
NPD EN 14353

**7.** The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by: Director of SAD YAPI





1125-A-CPR-34

Product Code: 1125-A

Declaration of performance in accordance with EU Construction Product Regulation 305/2011

1. Unique identification code of the product-type

Aluminum L Shape Profile for Gypsum Plasterboards

#### 2. Intended use/es:

Gympsum Plasterboard profiles are thin profiles used in the connections such as corners, ends of plasterboard, partition walls and suspended ceilings systems. Profiles are also used for maintaining strength of system in gypsum plaster applications.

3. Manufacturer

SAD YAPI ve Profil San. Dış. Tic. Ltd. Şti. Organize San. Bölgesi DES San. Sitesi 112. Sok. No:39 Yukarı Dudullu, Ümraniye, İstanbul

4. System/s of AVCP

System 4

**5.**Harmonised standard

EN 14353 – Metal beads and feature profiles for use with gypsum plasterboards

6. Declared performance/s

Harmonised technical
Essential Characteristics Performance specification
Reaction to Fire A1
Dangerous Substances NPD
Load Bearing Capacity Passed

Harmonised technical specification
NPD EN 14353

**7.** The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by: Director of SAD YAPI





1100-CPR-35

**Product Code: 1100** 

Declaration of performance in accordance with EU Construction Product Regulation 305/2011

1. Unique identification code of the product-type:

Galvanized U Shape Profile for Gypsum Plasterboards

#### 2. Intended use/es:

Gympsum Plasterboard profiles are thin profiles used in the connections such as corners, ends of plasterboard, partition walls and suspended ceilings systems. Profiles are also used for maintaining strength of system in gypsum plaster applications.

3. Manufacturer

SAD YAPI ve Profil San. Dış. Tic. Ltd. Şti. Organize San. Bölgesi DES San. Sitesi 112. Sok. No:39 Yukarı Dudullu, Ümraniye, İstanbul

4. System/s of AVCP

System 4

**5.Harmonised standard** 

EN 14353 – Metal beads and feature profiles for use with gypsum plasterboards

6. Declared performance/s

Harmonised technical
Essential Characteristics Performance specification
Reaction to Fire A1
Dangerous Substances NPD
Load Bearing Capacity Passed

Harmonised technical specification
NPD EN 14353

**7.** The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by: Director of SAD YAPI





1100-A-CPR-36

Product Code: 1100-A

Harmonicad tachnical

Declaration of performance in accordance with EU Construction Product Regulation 305/2011

1. Unique identification code of the product-type:

Aluminum U Shape Profile for Gypsum Plasterboards

#### 2. Intended use/es:

Gympsum Plasterboard profiles are thin profiles used in the connections such as corners, ends of plasterboard, partition walls and suspended ceilings systems. Profiles are also used for maintaining strength of system in gypsum plaster applications.

3. Manufacturer

SAD YAPI ve Profil San. Dış. Tic. Ltd. Şti. Organize San. Bölgesi DES San. Sitesi 112. Sok. No:39 Yukarı Dudullu, Ümraniye, İstanbul

4. System/s of AVCP

System 4

**5.**Harmonised standard

EN 14353 – Metal beads and feature profiles for use with gypsum plasterboards

6. Declared performance/s

Essential Characteristics	Performance	specification
Reaction to Fire	A1	
Dangerous Substances	NPD	EN 14252
Load Bearing Capacity	Passed	EN 14353

**7.** The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by: Director of SAD YAPI





1115-CPR-37

**Product Code:** 1115

Declaration of performance in accordance with EU Construction Product Regulation 305/2011

1. Unique identification code of the product-type:

Galvanized Z Shape Profile for Gypsum Plasterboards

#### 2. Intended use/es:

Gympsum Plasterboard profiles are thin profiles used in the connections such as corners, ends of plasterboard, partition walls and suspended ceilings systems. Profiles are also used for maintaining strength of system in gypsum plaster applications.

3. Manufacturer

SAD YAPI ve Profil San. Dış. Tic. Ltd. Şti. Organize San. Bölgesi DES San. Sitesi 112. Sok. No:39 Yukarı Dudullu, Ümraniye, İstanbul

4. System/s of AVCP

System 4

**5.Harmonised standard** 

EN 14353 – Metal beads and feature profiles for use with gypsum plasterboards

6. Declared performance/s

Harmonised technical
Essential Characteristics Performance specification
Reaction to Fire A1
Dangerous Substances NPD
Load Bearing Capacity Passed

Harmonised technical specification
NPD EN 14353

**7.** The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by: Director of SAD YAPI





1120-CPR-38

**Product Code:** 1120

Declaration of performance in accordance with EU Construction Product Regulation 305/2011

1. Unique identification code of the product-type:

Galvanized Z Shape Profile for Gypsum Plasterboards

#### 2. Intended use/es:

Gympsum Plasterboard profiles are thin profiles used in the connections such as corners, ends of plasterboard, partition walls and suspended ceilings systems. Profiles are also used for maintaining strength of system in gypsum plaster applications.

3. Manufacturer

SAD YAPI ve Profil San. Dış. Tic. Ltd. Şti. Organize San. Bölgesi DES San. Sitesi 112. Sok. No:39 Yukarı Dudullu, Ümraniye, İstanbul

4. System/s of AVCP

System 4

**5.**Harmonised standard

EN 14353 – Metal beads and feature profiles for use with gypsum plasterboards

6. Declared performance/s

Essential Characteristics	Performance	Harmonised technical specification
Reaction to Fire	A1	_
Dangerous Substances	NPD	EN 14252
Load Bearing Capacity	Passed	EN 14353

**7.** The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by: Director of SAD YAPI





1115-A-CPR-39

**Product Code:** 1115-A

Harmonicad tachnical

Declaration of performance in accordance with EU Construction Product Regulation 305/2011

1. Unique identification code of the product-type:

Aluminum Z Shape Profile for Gypsum Plasterboards

#### 2. Intended use/es:

Gympsum Plasterboard profiles are thin profiles used in the connections such as corners, ends of plasterboard, partition walls and suspended ceilings systems. Profiles are also used for maintaining strength of system in gypsum plaster applications.

3. Manufacturer

SAD YAPI ve Profil San. Dış. Tic. Ltd. Şti. Organize San. Bölgesi DES San. Sitesi 112. Sok. No:39 Yukarı Dudullu, Ümraniye, İstanbul

4. System/s of AVCF

System 4

**5.Harmonised standard** 

EN 14353 – Metal beads and feature profiles for use with gypsum plasterboards

6. Declared performance/s

Essential Characteristics	Performance	specification
Reaction to Fire	A1	
Dangerous Substances	NPD	EN 14252
Load Bearing Capacity	Passed	EN 14353

**7.** The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by: Director of SAD YAPI





1120-A-CPR-40

Product Code: 1120-A

Declaration of performance in accordance with EU Construction Product Regulation 305/2011

1. Unique identification code of the product-type:

Aluminum Z Shape Profile for Gypsum Plasterboards

#### 2. Intended use/es:

Gympsum Plasterboard profiles are thin profiles used in the connections such as corners, ends of plasterboard, partition walls and suspended ceilings systems. Profiles are also used for maintaining strength of system in gypsum plaster applications.

3. Manufacturer

SAD YAPI ve Profil San. Dış. Tic. Ltd. Şti. Organize San. Bölgesi DES San. Sitesi 112. Sok. No:39 Yukarı Dudullu, Ümraniye, İstanbul

4. System/s of AVCF

System 4

**5.Harmonised standard** 

EN 14353 – Metal beads and feature profiles for use with gypsum plasterboards

6. Declared performance/s

Harmonised technical
Essential Characteristics Performance specification
Reaction to Fire A1
Dangerous Substances NPD
Load Bearing Capacity Passed

Harmonised technical specification
NPD EN 14353

**7.** The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by: Director of SAD YAPI





1111-CPR-41

**Product Code: 1111** 

Declaration of performance in accordance with EU Construction Product Regulation 305/2011

1. Unique identification code of the product-type:

Galvanized Stop Profile

2. Intended use/es:

Metal lath and beads for internal plastering

3. Manufacturer

SAD YAPI ve Profil San. Dış. Tic. Ltd. Şti. Organize San. Bölgesi DES San. Sitesi 112. Sok. No:39 Yukarı Dudullu, Ümraniye, İstanbul

4. System/s of AVCF

System 4

**5.Harmonised standard** 

EN 13658-1 – Metal lath and beads, Internal plastering

6. Declared performance/s

Harmonised technical
Essential Characteristics Performance specification
Reaction to Fire A1
Dangerous Substances NPD EN 13658-1

**7.** The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by: Director of SAD YAPI





1111-CPR-41

**Product Code: 1111-A** 

Declaration of performance in accordance with EU Construction Product Regulation 305/2011

1. Unique identification code of the product-type:

Aluminum Stop Profile

2. Intended use/es:

Metal lath and beads for internal plastering

3. Manufacturer

SAD YAPI ve Profil San. Dış. Tic. Ltd. Şti. Organize San. Bölgesi DES San. Sitesi 112. Sok. No:39 Yukarı Dudullu, Ümraniye, İstanbul

4. System/s of AVCP

System 4

**5.Harmonised standard** 

EN 14353 – Metal lath and beads, Internal plastering

6. Declared performance/s

Reaction to Fire A1
Dangerous Substances

Harmonised technical specification
A1
NPD

EN 13658-1

**7.** The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by: Director of SAD YAPI



